



Albero	Dimensioni					Filettatura	Sigla	Bussola di trazione completa	Ghiora	Elemento di sicurezza	Massa ≈ kg
	d	d ₁	D _m	l	c						
mm pollici	mm				≈	d ₂					
17	20	17	32	24	7	M20x1	H204	KM4	MB4A	0,041	
	20	17	32	28	7	M20x1	H304	KM4	MB4A	0,045	
	20	17	32	31	7	M20x1	H2304	KM4	MB4A	0,049	
20	25	20	38	26	9	M25x1,5	H205	KM5	MB5A	0,07	
	25	20	38	29	9	M25x1,5	H305	KM5	MB5A	0,075	
	25	20	38	35	9	M25x1,5	H2305	KM5	MB5A	0,087	
25	30	25	45	27	9	M30x1,5	H206	KM6	MB6A	0,099	
	30	25	45	31	9	M30x1,5	H306	KM6	MB6A	0,109	
	30	25	45	38	9	M30x1,5	H2306	KM6	MB6A	0,126	
30	35	30	52	29	10	M35x1,5	H207	KM7	MB7A	0,125	
	35	30	52	35	10	M35x1,5	H307	KM7	MB7A	0,142	
	35	30	52	43	10	M35x1,5	H2307	KM7	MB7A	0,165	
35	40	35	58	31	11	M40x1,5	H208	KM8	MB8A	0,174	
	40	35	58	36	11	M40x1,5	H308	KM8	MB8A	0,189	
	40	35	58	46	11	M40x1,5	H2308	KM8	MB8A	0,224	
40	45	40	65	33	12	M45x1,5	H209	KM9	MB9A	0,227	
	45	40	65	39	12	M45x1,5	H309	KM9	MB9A	0,248	
	45	40	65	50	12	M45x1,5	H2309	KM9	MB9A	0,28	
45	50	45	70	35	13	M50x1,5	H210	KM10	MB10A	0,274	
	50	45	70	42	13	M50x1,5	H310	KM10	MB10A	0,303	
	50	45	70	55	13	M50x1,5	H2310	KM10	MB10A	0,362	



Albero		Dimensioni					Filettatura	Sigla	Ghiera	Elemento di sicurezza	Massa
mm	pollici	d	d ₁	D _m	l	c	d ₂	Bussola di trazione completa			kg
		mm									
50		55	50	75	37	14	M55x2	H211	KM11	MB11A	0,308
		55	50	75	45	14	M55x2	H311	KM11	MB11A	0,345
		55	50	75	59	14	M55x2	H2311	KM11	MB11A	0,42
55		60	55	80	38	14	M60x2	H212	KM12	MB12A	0,346
		60	55	80	47	14	M60x2	H312	KM12	MB12A	0,394
		60	55	80	62	14	M60x2	H2312	KM12	MB12A	0,481
60		65	60	85	40	15	M65x2	H213	KM13	MB13A	0,401
		65	60	85	50	15	M65x2	H313	KM13	MB13A	0,458
		65	60	85	65	15	M65x2	H2313	KM13	MB13A	0,557
		70	60	92	41	15	M70x2	H214	KM14	MB14A	0,593
		70	60	92	52	15	M70x2	H314	KM14	MB14A	0,723
		70	60	92	68	15	M70x2	H2314	KM14	MB14A	0,897
65		75	65	98	43	16	M75x2	H215	KM15	MB15A	0,707
		75	65	98	55	16	M75x2	H315	KM15	MB15A	0,831
		75	65	98	73	16	M75x2	H2315	KM15	MB15A	1,05
70		80	70	105	46	18	M80x2	H216	KM16	MB16A	0,882
		80	70	105	59	18	M80x2	H316	KM16	MB16A	1,03
		80	70	105	78	18	M80x2	H2316	KM16	MB16A	1,28



Albero	Dimensioni					Filettatura	Sigla	Bussola di trazione completa	Ghiera	Elemento di sicurezza	Massa _{inc}
	d	d ₁	D _m	l	c						
mm	pollici	mm				d ₂				kg	
75		85	75	110	50	19	M85x2	H217	KM17	MB17A	1,02
		85	75	110	63	19	M85x2	H317	KM17	MB17A	1,18
		85	75	110	82	19	M85x2	H2317	KM17	MB17A	1,45
80		90	80	120	52	19	M90x2	H218	KM18	MB18A	1,19
		90	80	120	65	19	M90x2	H318	KM18	MB18A	1,37
		90	80	120	86	19	M90x2	H2318	KM18	MB18A	1,69
85		95	85	125	55	20	M95x2	H219	KM19	MB19A	1,37
		95	85	125	68	20	M95x2	H319	KM19	MB19A	1,56
		95	85	125	90	20	M95x2	H2319	KM19	MB19A	1,92
90		100	90	130	58	21	M100x2	H220	KM20	MB20A	1,49
		100	90	130	71	21	M100x2	H320	KM20	MB20A	1,69
		100	90	130	76	21	M100x2	H3120	KM20	MB20A	1,8
		100	90	130	97	21	M100x2	H2320	KM20	MB20A	2,15
95		105	95	140	60	20	M105x2	H221	KM21	MB21	1,72
		105	95	140	74	20	M105x2	H321	KM21	MB21	1,95
100		110	100	145	63	21	M110x2	H222	KM22	MB22	1,93
		110	100	145	77	21	M110x2	H322	KM22	MB22	2,18
		110	100	145	81	21	M110x2	H3122	KM22	MB22	2,25
		110	100	145	105	21	M110x2	H2322	KM22	MB22	2,74